
STRUCTURE AND REACTIVITY IN CATALYTIC SYSTEMS INVOLVING METAL OXIDES AND ELECTRODE SURFACESCU) TEXAS UNIV AT AUSTIN DEPT OF CHEMISTRY J M WHITE 15 SEP 86 N00014-03-K-0502 F/G 7/4 NO-R177 096 1/1 UNCLASSIFIED



MICROCOPY RESOLUTION TEST CHART

UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE



REPORT DOCUMENTATION PAGE						
a REPORT SECURITY CLASSIFICATION UNCLASS I FIED		16 RESTRICTIVE MARKINGS				
a SECURITY CLASSIFICATION AUTHORITY		3 DISTRIBUTION / AVAILABILITY OF REPORT				
16 DECLASSIFICATION / DOWNGRADING SCHEDULE		UNLIMITED DISTRIBUTION				
PERFORMING ORGANIZATION REPORT NUMBER(S)		5. MONITORING ORGANIZATION REPORT NUMBER(S)				
J. M. White	6b OFFICE SYMBOL (If applicable)	7a. NAME OF MONITORING ORGANIZATION Office of Naval Research				
University of Texas at Austin ADDRESS (City, State, and ZIP Code)	7b. ADDRESS (City, State, and ZIP Code)					
Department of Chemistry University of Texas Austin, TX 78712		Department of the Navy Arlington, VA 22217-5000				
8a NAME OF FUNDING/SPONSORING 8b OFFICE SYMBOL (If applicable)		9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER				
0.000.000.000.000.000.000.000.000.000.	N00014-83-K-0582					
8c ADDRESS (City, State, and ZIP Code)		10 SOURCE OF FUNDING NUMBERS				
		PROGRAM ELEMENT NO	PROJECT NO	TASK NO	WORK UNIT ACCESSION NO	
11 TILE (Include Security Classification)	<u> </u>	NR-056-578				
Structure and Reactivity in Catalytic Systems Involving Metal Oxides and Electrode Surfaces						
12 PERSONAL AUTHOR(S)						
White, John Michael						
136 TIME COVERED Final FROM 8-1-83 TO 7-31-86)ay) [1	15 PAGE COUNT	
16 SUPPLEMENTARY NOTATION						
17 COSATI CODES FELD GROUP SUB-GROUP	Continue on revers	se if necessary and	identify	y by block number)		
20 DISTRIBUTION. AVAILABILITY OF ABSTRACT DICUSERS 21 ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED UNLIMITED SAME AS RPT DICUSERS DICUSERS 21 ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED UNCLASSIFIED						
22a NAME OF RESPONSIBLE NDIVIDUAL		UNCLASSIFIED 22b TELEPHONE (Include Area Code) 22c OFFICE SYMBOL				
		1		1		

OFFICE OF NAVAL RESEARCH

FINAL TECHNICAL REPORT

for

Contract N00014-83-K-0582

Structure and Reactivity in Catalytic Systems Involving Metal Oxides and Electrode Surfaces

J. M. White

University of Texas

Austin, Texas 78712

Funding History:

August 1983-July 1984----\$80,000 August 1984-July 1985----\$65,000 August 1985-July 1986----\$69,000

Reproduction in whole, or in part, is permitted for any purpose of the United States Government

* This document has been approved for public release and sale; its distribution is unlimited.


RESEARCH ACCOMPLISHMENTS

During the course of this contract, we have achieved the following:

We have developed secondary ion mass spectrometry as a kinetic tool, and have used it to characterize a number of interesting metal-metal oxides and metal-adsorbate systems. The most significant of these include the behavior of rhodium and platinum on titanium dioxide thin films. We showed conclusively that the rhodium and platinum overlayers become encapsulated with TiO when these metals on metal oxides are heated. This is the most direct evidence of longstanding interest in strong metal support interactions for the mechanism by which the interaction occurs. We have also characterized carefully the role of small amounts of impurities in noble metals and their influence on catalysis. These levels are established by secondary ion mass spectrometry and lie below the detectability limits of Auger electron spectroscopy. Finally, we have established the kinetics of surface decomposition of species like methoxide on platinum using SIMS to monitor the decomposition channels directly.

- (2) We have established a convenient way for measuring thermal desorption spectra of powders and in the same system taking Auger electron spectroscopy. This system has been used to characterize the migration of hydrogen atoms from transition metal particles onto the oxides which support them. The metals include platinum and ruthenium, while the oxides include silica and titania. This represents the first time that kinetic measurements (activation energies and preexponential factors) have been measured for this spillover process on well-characterized systems.
- (3) We have established, using copper based systems, an inverse strong metal support interaction effect. This work establishes that charge transfer interactions are of some significance in these systems. Because copper has a filled d-electron shell, it cannot accept charge from an oxide in the same way that platinum does, for example. What we showed is that copper catalysts can be activated for hydrogen and CO chemisorption by placing the copper on an oxide support designed to withdraw electron density from the copper.





COPY

ዸጜፙዀዾዀኯጜዀዾፙዄዀዸዀዸዀዀዄዀጜዀጜዀዾዀዾዀዾዀዸ